## **Anaphylaxis versus immunization stress-related response**

|                       | Anaphylaxis   | Vaso-vagal syncope   | Sympathetic stress reaction   |
|-----------------------|---|--|---|
| Onset                 | Shortly (5-60 minutes) after vaccination  | Before, during or shortly (<5 min) after vaccination                             | Before, during or soon after vaccination  |
| Skin                  | Hives, swollen eyes and face, generalized rash  | Pale, sweaty, cold, clammy   | Pale, sweaty, cold, clammy  |
| Respiratory           | Cough, wheezing, stridor  | Normal to deep breathing   | Rapid and shallow (hyperventilation)  |
| Cardio-<br>vascular   | ↑ heart rate, ↓ blood pressure,<br>dysrythymias, cardiac arrest                         | ↓ heart rate, +/-transient<br>↓ blood pressure                                   | ↑ heart rate,<br>normal or ↑ systolic blood pressure                                    |
| Gastro-<br>intestinal | Nausea, vomiting, abdominal cramps  | Nausea, vomiting   | Nausea, vomiting  |
| Neurologic            | Uneasiness, restlessness, agitation, loss of consciousness, little response once supine | Transient loss of consciousness, good response once supine, tonic/clonic seizure | Fearful, light-headed, weakness, numbness/tingling sensation on face, spasms hands/feet |